




OIL-DRI

CORPORATION OF AMERICA

Universal Bonded Products

Treated, chemically inert polypropylene




Universal bonded pads and rolls are extra durable to handle non-aggressive leaks and spills in high-traffic areas, tool cribs and routine industrial applications. Bonded layers build strength and allow fluid to spread through the material quicker for your best absorption rate.

Part No.	Description	Dimensions	Packaging
L90902	Oil-Dri® Universal Bonded Pads in a Dispenser Box	16 in. W x 20 in. L	100 pads/box
L90907	Oil-Dri® Universal Bonded Pads in a Dispenser Box	16 in. W x 20 in. L	50 pads/box
L90900	Oil-Dri® Universal Bonded Roll—Split	15 in. W x 150 ft. L	1 roll/box
L90901	Oil-Dri® Universal Bonded Roll	30 in. W x 150 ft. L	1 roll/box
L90903	Oil-Dri® Universal Bonded Roll—Split	15 in. W x 150 ft. L	2 rolls/box

Universal Perforated Products

Treated, chemically inert polypropylene



Durable and perforated for added convenience

Part No.	Description	Dimensions	Packaging
L90530	Oil-Dri® Universal Perforated Pads	16 in. W x 20 in. L Perforated: 10 in. L	100 pads/box
L90540	Oil-Dri® Universal Perforated Roll	30 in. W x 150 ft. L Perforated: 15 in. W x 18 in. L	1 roll/box
L90535	Oil-Dri® Universal Perforated Roll—Split	15 in. W x 150 ft. L Perforated: 15 in. W x 18 in. L	2 rolls/box

Industrial Rug Products

Needle punched polypropylene



Ideal for aisles and high-traffic areas. Prevents oil tracking and provides some anti-fatigue benefits for workers.

Part No.	Description	Dimensions	Packaging
L90864	Oil-Dri® Industrial Squares	18 in. W x 18 in. L	100 sq./bale
L90861	Oil-Dri® Industrial Rug	36 in. W x 300 ft. L	1 rug/bale
L90863	Oil-Dri® Universal Industrial Rug—Split	18 in. W x 300 ft. L	2 rugs/bale

General Sock

Sock skin with recycled newspaper filler



This is Oil-Dri's most absorbent MRO sock. It can be used at the base of machines to catch non-aggressive fluid leaks and prevent spills from spreading to the floor.

Part No.	Description	Dimensions	Packaging
L90890	Oil-Dri® General Sock 4/40	3 in. D x 4 ft. L	40 socks/box
L90790	Oil-Dri® General Sock 4/12	3 in. D x 4 ft. L	12 socks/box
L90934	Oil-Dri® General Sock 6/18	3 in. D x 6 ft. L	18 socks/box
L90791	Oil-Dri® General Sock 6/6	3 in. D x 6 ft. L	6 socks/box
L90936	Oil-Dri® General Sock 10/10	3 in. D x 10 ft. L	10 socks/box
L90792	Oil-Dri® General Sock 10/4	3 in. D x 10 ft. L	4 socks/box

Premium Floor Absorbents

Packaged in poly bags



Oil-Dri delivers its best selling floor absorbents in two types of packaging to meet your needs—poly bags and paper bags.

Oil-Dri floor absorbents are manufactured at several facilities for economic shipping. When selecting which absorbent is best for you, call for shipping recommendations.

Part No.	Description	Packaging	Weight	Location
106040-L50	Oil-Dri® Premium Floor Absorbant	50 poly bags/pallet	40 lb. bags	Georgia Mississippi
105090-L40	Oil-Dri® Premium Floor Absorbant	40 poly bags/pallet	50 lb. bags	Mississippi
118002-L50	Oil-Dri® General Purpose Floor Absorbant	50 poly bags/pallet	40 lb. bags	Quebec

Smart Rolls & Pads

Melt-blown polypropylene



The smart buy when you're on a tight budget. Ideal in low-traffic areas, underneath hoses and next to leaky equipment. Highly absorbent.

Middle Weight

Part No.	Description	Dimensions	Packaging
L90904	Oil-Dri® Smart Pads	16 in. W x 20 in. L	100 pads/box
L90781	Oil-Dri® Smart Roll	30 in. W x 150 ft. L	1 roll/box
L90782	Oil-Dri® Smart Roll—Split	15 in. W x 150 ft. L	2 rolls/box

Pads 50, 100 & 200

Melt-blown polypropylene



Because they're hydrophobic, they float on water and are primarily used for absorbing petroleum-based fluids. Can be used on land or water.

Heavy Weight

Part No.	Description	Dimensions	Packaging
L90850	Oil-Dri® Pads 100	16 in. W x 20 in. L	100 pads/box
L90852	Oil-Dri® Pads HW 50 in a Dispenser Box	16 in. W x 20 in. L	50 pads/box
L90853	Oil-Dri® Pads 50	30 in. W x 40 in. L	50 pads/bale

Light Weight

Part No.	Description	Dimensions	Packaging
L90851	Oil-Dri® Pads 200	16 in. W x 20 in. L	200 pads/box
L90856	Oil-Dri® Pads LW 100 in a Dispenser Box	16 in. W x 20 in. L	100 pads/box

Boom

Melt-blown polypropylene



For emergency spills on water, this is the product. It absorbs petroleum-based fluids and contains spills for easier handling. Booms have links at both ends which hook together for any size spill.

Part No.	Description	Dimensions	Packaging
L90855	Oil-Dri® Boom 810	8 in. D x 10 ft. L	4 booms/bale
L90857	Oil-Dri® Boom 510	5 in. D x 10 ft. L	4 booms/bale

Poly Sock

Melt-blown polypropylene



This sock is very versatile. It handles petroleum-based fluids in routine industrial applications and tight, hard-to-reach areas.

Part No.	Description	Dimensions	Packaging
L90898	Oil-Dri® Poly Sock	3 in. D x 4 ft. L	12 socks/box
L90897	Oil-Dri® Poly Sock 6/6	3 in. D x 6 ft. L	6 socks/box



OIL-DRI

CORPORATION OF AMERICA

Haz Mat Sock

Treated, chemically inert polypropylene cover with polypropylene filler



This sock handles aggressive spills safely. It is chemically designed to absorb acids and bases without coming apart. Fluid penetrates quickly, so dangerous materials absorb fast and don't escape.

Part No.	Description	Dimensions	Packaging
L90891	Oil-Dri® Haz Mat Sock	3 in. D x 4 ft. L	12 socks/box
L90836	Oil-Dri® Haz Mat Sock	3 in. D x 10 ft. L	6 socks/box
L90837	Oil-Dri® Haz Mat Sock 10/4	3 in. D x 10 ft. L	4 socks/box

Drain Cover

Custom-formed core elastomer



Prevents fluids from flowing into manholes and drains.

Part No.	Description	Dimensions	Packaging
L90930	Oil-Dri® Drain Cover—36	36 in. W x 36 in. L	1 cover/box

Universal Bonded Pads

Treated, chemically inert polypropylene



These pads are extra durable to handle all types of leaks and spills. "Dimpled" for extra strength.

Part No.	Description	Dimensions	Packaging
L90902	Oil-Dri® Universal Bonded Pads	16 in. W x 20 in. L	100 pads/box

Secondary Containment Items

Oil-Dri is an authorized master Distributor for secondary containment items. Call for details on items not listed below: 800.645.3747



Part No.	Description	Dimensions
L90931	Oil-Dri® 20 Gallon Lab Pack w/ Plastic Ring	20 1/2" x 22"
L90928	Oil-Dri® 95 Gallon Overpack Drum w/Screw Top Lid	31" x 45"
L90525	Oil-Dri® 2 Drum Spill Pallet Unit	26 1/2" x 51" x 15"
L90524	Oil-Dri® 4 Drum Spill Pallet Unit	51 1/2" x 51 1/2" x 18 1/2"
L90517	Oil-Dri® 2 Drum Modular Platform (low profile)	26 1/4" x 51 1/2" x 6 1/2"
L90538	Oil-Dri® 4 Drum Modular Platform (low profile)	52 1/2" x 51 1/2" x 6 1/2"
L90538	Oil-Dri® Poly Ramp	45 1/2" x 32" x 8"

Compact Spill Kits

MRO or Oil Only Spill Applications

An easy and cost effective way to prepare for emergencies. These small kits are perfect for carrying in vehicles or placing in areas of the plant where spills are most likely.



Part No.	Description	Contents
L90671	Oil-Dri® Smart Pak (MRO)	3 General Socks, 10 Universal Bonded Pads, 10 Wipes, 1 Disposal Bag with Tie, 1/2 Tub Plug n' Dike
L90698	Oil-Dri® Auto Spill Kit (MRO)	3 General Socks, 10 Universal Bonded Pads, 10 Wipes, 1 Disposal Bag with Tie
L90425	Oil-Dri® Zip Lock 402 Spill Kit (Oil-Only)	2 Poly Socks, 35 Smart Pads, 1 Disposal Bag with Tie
L90430	Oil-Dri® Marine Pak (Oil-Only)	2 Poly Socks, 10 Smart Pads, 10 Wipes, 1 Disposal Bag with Tie, 1/2 Tub Plug n' Dike

95 Gallon Spill Kits

Large spill applications



Part No.	Description	Contents
L90667	Oil-Dri® MRO Spill Kit (95 Gallon)	16 General Socks (3 in. D x 48 in. L), 10 General Sock (3 in. D x 120 in. L), 8 General Pillows, 60 Universal Bonded Pads, 10 Disposal Bags with Ties, Emergency Response Guide Book, Overpack (95 gallon)
L90943	Oil-Dri® Oil Only Spill Kit (95 Gallon)	10 Booms 510, 60 Smart Pads, 10 Disposal Bags with Ties, Emergency Response Guide Book Overpack (95 gallon)
L90415	Oil-Dri® Haz Mat Spill Kit (95 Gallon)	12 Haz Mat Socks (3 in. D x 48 in. L), 9 Haz Mat Socks (3 in. D x 120 in. L), 7 Haz Mat Pillows, 1 Bag of Haz Mat Pulp (4 lb.), 60 Universal Bonded Pads, 10 Disposal Bags with Ties, Emergency Response Guide Book, Overpack (95 gallon)

Read all Warnings and Descriptions when determining the products you need.



Ultra SpillPallet Plus®

Only 8-3/4" Tall, These Spill Pallets Feature the Lowest Profile on the Market and Meet Container Storage Regulations



Superior weight capacity of the 4-drum model also allows use with IBCs.



Optional Loading Ramp, Part No. 0676, provides convenient drum handling. (Fits P2 and P4)

- ▶ Nearly 50% lower than standard spill pallets, drum handling is safer and less strenuous.
- ▶ Available in 2-drum and 4-drum configurations,
- ▶ Both models meet EPA Container Storage Regulation 40 CFR 264.175 and Uniform Fire Code Spill Containment Regulations for use with drums.
- ▶ Removable grates feature a non-slip surface.

Specifications

Ultra-SpillPallet P2 Plus	
Part No. no drain: 9610	Part No. with drain: 9611
Dimensions: 65-1/2" x 40" x 8-3/4"	Weight: 88 lbs.
Uniformly Distributed Load: 4,500 lbs.	Containment Capacity: 66 gals.
Ultra-SpillPallet P4 Plus	
Part No. no drain: 9630	Part No. with drain: 9631
Dimensions: 62" x 62" x 8-3/4"	Weight: 125 lbs.
Uniformly Distributed Load: 9,000 lbs.	Containment Capacity: 75 gals.

Options Available: Polyethylene Loading Ramp, PullOver Covers



Ultra SpillKing®

Unique Design Combines a Variety of Material Handling Capabilities With Spill Control



Ultra-SpillKing features a removable deck with 4-way forklift access. Combined with its 85-gallon containment sump, drum handling and storage have never been safer.

- ▶ Rugged polyethylene construction features a 6,500-pound static load capacity.
- ▶ Place SpillKing basins in strategic areas—drums can be easily, rotated and replaced with the forkliftable deck.
- ▶ Meets EPA and Uniform Fire Code Spill Containment Regulations.

Specifications

Drum Pallet Model	Drum Pallet Only
Part No. no drain: 0801 Part No. with drain: 0802	Part No. with drain: 3000801
Dimensions: 51" x 51" x 17-1/2"	Dimensions: 48-3/4" x 48-3/4" x 5-1/2"
Weight: 110 lbs.	Weight: 57 lbs.
Load Capacity: 6,500 lbs. static	Load Capacity: 15,000 lbs. static
Containment Capacity: 85 gals.	



Ultra Containment Berms®

Economical Design Offers
Cost Savings and
Secure Containment

The Collapsible Wall Model Containment Berm features rugged PVC sidewall assemblies for sidewall support. Simply swivel the "feet" of the PVC supports to lower or raise the sidewalls in just seconds!



Meet EPA Container Storage Regulation 40 CFR 264.175 with Collapsible Wall Model Containment Berms.

Specifications — Copolymer 2000

Dimensions	Part No.	Weight	Containment Capacity
4' x 6' x 1'	8405	43 lbs.	179 gallons
6' x 6' x 1'	8403	46 lbs.	269 gallons
10' x 10' x 1'	8400	78 lbs.	748 gallons
12' x 60' x 1'	8404	323 lbs.	5,385 gallons
15' x 50' x 1'	8401	319 lbs.	5,610 gallons
15' x 66' x 1'	8402	420 lbs.	7,405 gallons

Options: Ground Tarps, Track Belts, Protective Storage Bags, Self-Bailer.

Now also available in **LOWER COST polyethylene material!**


Custom sizes also available.

Specifications — Polyethylene

Dimensions	Part No.
4' x 6' x 1'	8405-PE
6' x 6' x 1'	8403-PE
10' x 10' x 1'	8400-PE
12' x 60' x 1'	8404-PE
15' x 50' x 1'	8401-PE
15' x 66' x 1'	8402-PE

Ultra DrainSeals®

Stop Spills From Going
Down The Drain




LOWER COST, BETTER



Patent Pending.

- ▶ Unique urethane construction allows the pad to deform and seal off most drains—temporarily "seals" to any smooth surface.
- ▶ A valuable addition to any emergency response plan, spill kit or stormwater management program.

Unlike some alternative products, **BOTH sides will quickly seal drains—there is no specified "top" or "bottom."**



Reinforcing mesh resists tearing.

- ▶ Reinforcing mesh is "sandwiched" between layers of polyurethane—increases durability and resistance to tearing.



Optional Ultra-DrainSeal WallMount Units allow quick response to any spill—just "grab and go!"

Standard Sizes:

18" x 18"Part No. 2126
24" x 24"Part No. 2127
36" x 36"Part No. 2130
48" x 48"Part No. 2132
Custom Sizes Available

Specifications

Patent Pending.

Ultra-DrainSeals		Ultra-DrainSeal WallMount
Flexible non-absorbing material with reinforcing, tear-resistant mesh	18" x 18" x 3/8" 5 lbs. Part No. 2126	Fits 18" and 24" DrainSeals Part No. 2140
One unit per box, easily cuts to special shapes and sizes	24" x 24" x 3/8" 9 lbs. Part No. 2127	Fits 36" DrainSeals Part No. 2142
Resists oil, water and most aggressive chemicals, cleans with soap and water	36" x 36" x 3/8" 19 lbs. Part No. 2130	Fits 48" DrainSeals Part No. 2143
Prevents contaminants from entering drain	48" x 48" x 3/8" 34 lbs. Part No. 2132	Made of Polypropylene. Velcro straps allow quick and easy access.



Ultra DeconDeck®

Decontamination Decks
Keep Personnel Above
Hazardous Material

High-vis orange
color offers
added
safety for



Tactical Model can be used with hand-held wand or gross rinse shower system

- ▶ Replaces conventional containment pools—contaminated water is captured in Deck sump and attached 55-gallon bladder.
- ▶ Quick and easy set-up.
- ▶ Durable, washable, and re-useable.
- ▶ Deck and bladder capacity is 99 gallons.
- ▶ Use for chemical, biological, and/or radiological response.
- ▶ Includes DeconDeck with (1) Bladder Attachment, 12' x 14' Ground Tarp, Gross Rinse Shower Unit, Spray Wand (7gpm output) and Supply Hose.
- ▶ Optional Privacy Shelter (P/N 6005) and Carrying Case (P/N 6006) available.

The Ultra-DeconDeck, Tactical Model, has been engineered for use as a Single Station Field Decontamination System™

The Single Station Field Decontamination System™ was developed to improve field delivery of technical and tactical decontamination for responders. The system provides for multiple washes and rinses on a single containment platform—eliminating the need for multiple containment pools. Set-up time and staffing are reduced significantly using this process and workers are never expected to stand in contaminants.

All deck surfaces are slip resistant

- ▶ Privacy shelter quickly attaches to DeconDeck.
- ▶ Dual bladders and Deck combine to contain 165 gallons of liquid—nearly one hour of continuous use.
- ▶ Pass-through-ports in rear of shelter allow for contaminated clothing discharge.
- ▶ Ventilation and hose ports keep egress free of obstructions.
- ▶ Includes DeconDeck with (2) Bladder Attachments, 12' x 14' Ground Tarp, Gross Rinse Shower Unit, Spray Wand (7gpm output), Privacy Shelter and Supply Hose.
- ▶ Optional Carrying Case (P/N 6006) available.



Hospital Model P/N 6010

- ▶ Elevated Deck allows contaminants to be separated from workers and patients.
- ▶ Deck and Bladder contain 88 gallons.
- ▶ Replacement Bladders available (P/N 2320).
- ▶ All-polyethylene construction will not rust or corrode.
- ▶ Includes DeconDeck with (1) Bladder Attachment, 8' x 8' Ground Tarp, Spray Wand (7gpm output) and Supply Hose.
- ▶ Optional Carrying Case (P/N 6006) available.



Non-Ambulatory Model P/N 6020

U.S. Patent Nos. 5,642,834, 5,007,557 and 5,562,047.



Anti-Theft Kit
Available

Ultra SmokeStops® A Better Looking Butt Can

Ultra-SmokeStop Smoking Receptacles Keep Areas Clear of Cigarettes



Classic



Nantucket



Key West



Nautical



Santa Fe

- ▶ Attractive designs complement any office, factory, restaurant, hotel or resort.
- ▶ Polyethylene construction will not rust or corrode.
- ▶ Design minimizes smoke exit and water entry.
- ▶ Unique odor-absorbing and fire suppressing filter available.