



Cloth/Duct Tape

Intertape Polymer Group™ offers a full range of cloth tapes to satisfy even the most demanding applications and industry requirements. From utility grade to nuclear grade, all Intertape® Brand Cloth Tapes are made with high grade raw materials and are held to the highest quality standards.



	Thickness (mils)	Elongation %	Adhesion (oz/in)	Tensile (lb/in)	Adhesive Type
Utility Grade					
AC15 Ideal for retail and non-critical applications. Available in silver and black.	8.0	18.0	54	18	NR
General Grade					
AC20 All-purpose home and office use duct tape. Economical and available in 11 colors.	9.0	18.0	54	19	NR
AC30 The maintenance shop duct tape! 10 mils thick. This tape is ideal for maintenance and shop floor applications. From machine repair to leak sealing. Available in silver, black and red.	10.0	18.0	54	20	NR
Medium Grade					
AC36 The general contractors duct tape of choice. 11 mils thick with an aggressive natural rubber adhesive platform. Choose AC36 when high performance counts! Available in silver and black.	11.0	18.0	60	20	NR
AC45 For use in HVAC and abatement applications AC45 hangs and tears straight. Meets UL723, HUD, BOCA and LA county codes. Available in silver, black and red.	12.0	18.0	50	25	NR
AC49 For HVAC applications where UV resistance and a metalized look is preferred. A great choice for use on flexible ducting. Meets UL723, HUD, BOCA and LA Country Codes.	11.0	18	48	24	NR
Premium Grade					
AC50 A premium performance HVAC duct tape when a significant level of tensile and tear strength are required. Also provides an excellent moisture barrier. Available in silver, black, white and olive drab.	14.0	14	50	40	NR
AC57 A premiere grade cloth tape listed by Underwriters Laboratories. AC-57 conforms to all code requirements for UL181B-F. Designed for the professional HVAC contractor. Available in silver and black.	16.0	14	88	MD=40.0 CD=26.6	NR
Nuclear Grade					
AC20N An all-purpose, 9 mil duct tape certified to meet ANSI/ASME N45.2.2 and NRC Reg. Guide 1.38 para 2C Div. A3.5.2(1)(A). Enabling it to be used in nuclear power facilities where performance and consistency counts.	9.0	18.0	54	19	NR

Double-Coated Tape



Intertape Brand Double-Coated Tape features an extremely aggressive tack. Ideal for many industrial uses, such as mounting, adhering and bonding applications.

	Thickness (mils)	Elongation %	Adhesion (oz/in)	Tensile (lb/in)	Adhesive Type
591 The standard for golf grip repair, 591 is also ideal for photograph mounting, carpet installation and textile manufacturing. A heavy duty, double-coated, flatback with a natural rubber adhesive.	12.0 (w/liner) 7.0 (w/o liner)	3.0	52	34	Solvent NR
592 Made for joining two surfaces, 592 is a double-coated crepe paper tape with an easy-release treated, white paper liner. Ideal for the printing and textile industry, but also used as a splicing tape in certain applications.	10.4 (w/liner) 6.0 (w/o liner)	4.0	45	23	Solvent NR
593 For UV resistant mounting, 593 is the ideal choice. Great for name plate mounting, assembling outdoor displays, splicing corrugated and paper mounting plastic trim and bonding shrink film window insulation. 593 is a polyester (PET) film, double-coated tape with an acrylic adhesive.	8.0 (w/liner) 4.0 (w/o liner)	125	60	16	Solvent Acrylic
597 A double-coated, vinyl (PVC) film with an aggressive natural rubber adhesive, 597 is ideal for mounting porous surfaces together. With a great initial tack, 597 is perfect for sign positioning, mirror manufacturing, engravers, insulating holding on metal buildings, contractor and carpet mounting.	9.5 (w/liner) 5.9 (w/o liner)	30	55	15	Solvent NR

Specialty Products




Intertape Brand Specialty Products are designed for unique applications that require a specific product or product characteristic.

	Thickness (mils)	Elongation %	Adhesion (oz/in)	Tensile (lb/in)	Adhesive Type
Vinyl Electrical					
619 Premium grade electrical tape, PVC, black vinyl, all-weather, flame retardant, great dielectric strength, UL Listed.	8.0	200	16	20	Solvent NR
6180 General purpose electrical tape, black vinyl, electrical insulating, good dielectric strength, UL Listed	7.0	200	16	18	Solvent NR
8120 Transfer adhesive, self-wound, unsupported acrylic adhesive.	5.0/2.0	—	64	—	Acrylic
Flagging/Barricade					
6880 Flagging ribbon, narrow width, bright, day-glo colors.					
6890 Barricade ribbon, bright yellow with black lettering (stock prints only).					
Spray Adhesive					
AC50SP					Web spray adhesive, 24 fl. oz., 17 net oz.



Duct Tapes


tesa's new-and-improved line of industrial duct tapes features both a high-performance cloth and a premier adhesive system. The densely-woven cloth on tesa duct tapes is specially designed for easy tearability. The advanced adhesive system provides excellent tack and high shear for a broad range of industrial applications.



53956

Features a high-grade polycoated cloth, which offers good tensile properties while retaining excellent tearability for easy application. It is available in a variety of colors.

- ▶ Thickness-mils—9
- ▶ Adhesion-oz/in—55
- ▶ Tensile-lbs/in—22
- ▶ Elongation %—18%



53957

Heavy-duty polycoated cloth tape with an aggressive adhesive for demanding contractor applications.

- ▶ Thickness-mils—10
- ▶ Adhesion-oz/in—60
- ▶ Tensile-lbs/in—22
- ▶ Elongation %—18%



53793

Premium-grade, polycoated cloth tape designed for demanding applications.

- ▶ Thickness-mils—12
- ▶ Adhesion-oz/in—45
- ▶ Tensile-lbs/in—20
- ▶ Elongation %—10%



53958

Professional grade polycoated cloth tape with an aggressive adhesive for demanding industrial applications, such as heavy-duty draping and securing.

- ▶ Thickness-mils—12
- ▶ Adhesion-oz/in—65
- ▶ Tensile-lbs/in—24
- ▶ Elongation %—18%



59214

Economy grade polycoated cloth tape that comes in individual shrink wrapped rolls.

- ▶ Thickness-mils—8
- ▶ Adhesion-oz/in—45
- ▶ Tensile-lbs/in—20
- ▶ Elongation %—18%



53950

Utility-grade, polycoated cloth duct tape, and is available in silver and black.

- ▶ Thickness-mils—7
- ▶ Adhesion-oz/in—30
- ▶ Tensile-lbs/in—18
- ▶ Elongation %—18%



53952

Polycoated cloth tape with an aggressive rubber adhesive providing high initial tack and great adhesion to a variety of different surfaces.

- ▶ Thickness-mils—8
- ▶ Adhesion-oz/in—45
- ▶ Tensile-lbs/in—20
- ▶ Elongation %—18%


53949

The black matte finish provides glare and residue-free solutions when non-reflective surfaces are important.

- ▶ Thickness-mils—9.5
- ▶ Adhesion-oz/in—30
- ▶ Tensile-lbs/in—22
- ▶ Elongation %—10%

Paper Packaging Tapes

This environmentally friendly paper-based tape has a powerful natural rubber-based adhesive, which guarantees bonding. These tapes are printable and are excellent for use in machines.



Part No.	Description
4312	Performance grade kraft flatback paper tape with a silicone-free release coat and a synthetic rubber adhesive system.
53302	Premium grade kraft flatback tape with natural rubber adhesive.
4313	Consists of a smooth flatback with a synthetic rubber adhesive system.
53313	Performance grade kraft flatback with natural rubber adhesive.



Packaging Tapes

BOPP Packaging Tapes



A variety of BOPP (biaxially oriented polypropylene) tapes for standard cartons sealing applications.

Part No.	Description
4263	Performance grade biaxially oriented polypropylene (BOPP) carton sealing tape.
4269	Premium grade biaxially oriented polypropylene tape.
4286	High performance grade biaxially oriented polypropylene tape.
53382	Performance grade biaxially oriented polypropylene tape with acrylic adhesive.
4264	General purpose grade biaxially oriented polypropylene (BOPP) carton sealing tape with synthetic rubber adhesive.
4285	Performance grade biaxially oriented polypropylene tape.
53380	Standard grade biaxially oriented polypropylene tape with acrylic adhesive.
6259	Carton sealing tape dispenser for rolls in widths up to 48mm.

Tear Tapes

Full range of tear tapes with a variety of backing types, thickness grades, release systems, and adhesive properties ideal



for a variety of board types, and thickness grades. Long length rolls, up to 40,000m, reduce the frequency of spool changes.

Part No.	Description
4236	High performance tear tape composed of a modified tensilized polypropylene backing in combination with an aggressive natural rubber adhesive.
53497	High-strength, durable spoolwound tear tape with a silicone release.
51236	High performance, co-extruded tensilized polypropylene tape in combination with a natural rubber adhesive.
7496	Spoolwound TPP tear tape with a natural rubber adhesive and superior tensile strength.


Cardboard Reinforcement

TPP tapes assist in enhancing the stability and durability of your packages. The reinforcement is achieved through handle reinforcement, and L-clipping, which reinforces the carton and enables closure of irregular shaped boxes. Either reinforcement method prolongs the life of your cardboard boxes, and protects your valuable goods from damage.

Part No.	Description
4236	High performance tear tape composed of a modified tensilized polypropylene backing in combination with an aggressive natural rubber adhesive.
53317	General purpose fiberglass reinforced filament tape with a synthetic rubber adhesive.
53497	High-strength, durable, spoolwound tear tape with a silicone release.
4287	High strength TPP film in combination with a natural rubber adhesive system.
53319	Performance strength fiberglass reinforced filament tape with an aggressive high tack synthetic rubber resin adhesive.
7496	Spoolwound TPP tear tape with a natural rubber adhesive and superior tensile strength.

PVC Packaging Tape

The age resistant PVC backing and natural rubber adhesive system combine to produce high impact-resistance and low-noise unwind. In addition, PVC tapes are easily printable. tesa's variety of PVC tapes are an excellent choice for sealing security.



Part No.	Description
4085	Standard grade UPVC tape with quiet release.
4124	Combines a thick, durable UPVC film backing and a natural rubber adhesive system.
4120	Performance grade UPVC tape with quiet release. In addition, tesa 4120 is printable.

Inner Packaging

UPVC tapes are specially designed for sealing small parcels, containers and inner bags. These adhesive tapes are available in various widths and colors and can be removed without leaving residues.

Part No.	Description
4104	Performance grade UPVC tape in combination with an aggressive natural rubber adhesive, available in a variety of colors.
4204	Consists of a stable PVC film coated with a strong natural rubber adhesive.

Foil Tape

Combines a flexible dead soft aluminum foil backing with an aggressive rubber adhesive, enabling flexibility and adhesive strength to conform to the most irregular contours.



Contours nicely to irregular surfaces such as FSK facings and duct board joints.

- ▶ Thickness-mils—4
- ▶ Adhesion-oz/in—90
- ▶ Tensile-lbs/in—17
- ▶ Elongation %—3%

Tamper-Evident, Theft Deterrent Tape

Tamper-evident carton sealing tape designed to protect your valuables throughout the entire logistical chain. tesa 64007 helps to dramatically reduce the possibility of theft or unauthorized opening of your packages.




- 64007**
- ▶ Thickness-mils—2.3
 - ▶ Adhesion-oz/in—25
 - ▶ Tensile-lbs/in—24
 - ▶ Elongation %—150%



Tapes

Blue Multi Purpose Tape



For all professional masking needs, BLUE MULTI PURPOSE TAPE:

- ▶ Holds carpet pads in place
- ▶ Holds sheet vinyl, hardwood or laminate in place
- ▶ Offers 14 day UV protection
- ▶ Has outstanding durability
- ▶ Can be used indoors or outdoors
- ▶ Removes cleanly up to 14 days after application

Stock Sizes

- ▶ .75" x 180'
- ▶ 1" x 180'
- ▶ 1.5" x 180'
- ▶ 1.87" x 180' Roll (Use As 2")
- ▶ 1.87" x 180' Roll (Sold In Cases Of 24)
- ▶ 3" x 180' (NEW!)

Masking Tape



MASKING TAPE is ideal for bundling, packaging, splicing and light duty temporary masking applications. It has excellent adhesion to:


- | | | |
|-----------|-----------------|------------|
| ▶ Glass | ▶ Steel | ▶ Wood |
| ▶ Paper | ▶ Aluminum | ▶ Concrete |
| ▶ Plaster | ▶ Plastic Films | |

Stock Sizes

- ▶ 2" x 180' Roll

Available in General Purpose and Industrial Grade

Duct Tape



DUCT TAPE is a strong, fabric-based, multi-purpose pressure-sensitive adhesive tape. Duct tape has more adhesion for stronger performance, tears easily by hand, conforms excellently to uneven surfaces, has superior thickness and adhesion and is great for general home repairs.


Stock Sizes

- ▶ 2" x 180' Roll

Available in General Purpose, Industrial Grade, Pro Grade and Premium Thickness range from 7 mil to 13 mil

Some grades available in Silver, Black and Red

Gaffers Tape



GAFFERS TAPE is a vinyl coated cloth tape with a matte finish (synthetic rubber resin). Waterproof, abrasion resistant, conforms to irregular surfaces and resists tears and punctures.

Stock Sizes

- ▶ 2" x 180' Roll
- ▶ 3" x 180' Roll (Black or Maroon)

Application: Wire and carpet hold down, gaffing lights, splicing floors, bundling wires and marking boxes.

Available in Black or Maroon

Electrical Tape



BLACK ELECTRICAL TAPE (PVC, polyvinyl chloride, with rubber based adhesive) is used for wire and cable insulation, wire bundling, primary splice insulation at no more than 600V, UL listed.

Stock Sizes

- ▶ .75" x 60' Roll

Drywall Mesh Tape



DRYWALL MESH TAPE is a self-adhesive fiberglass tape used to seam drywall joints and mask for stucco application. Reinforce or repair wall cracks, plasterboard cracks, and cement boards.

Stock Sizes

- ▶ 2" x 180' Roll
- ▶ 2.5" x 180' Roll
- ▶ 3" x 180' Roll (Yellow and White only)
- ▶ 36" x 180' Roll (Blue only)

Available in Yellow, White and Blue

PE Tape



POLYETHYLENE TAPE with a rubber based adhesives (pinked serrated edges) is used to hold poly sheeting in place during stucco application and mask around windows and doors.

Stock Sizes

- ▶ 2" x 180' Roll

Application: Polyethylene splicing and surface protection: Commonly used as "stucco" tape.

Available in Red and White

Convention Tape



CONVENTION TAPE is a multi-purpose, double-sided cloth tape with a release liner used in aircraft manufacture and construction for general mounting and holding.


Stock Sizes

- ▶ 2" x 75' Roll (Blue PE Release Liner)
- ▶ 3" x 75' Roll (Paper Release Liner)

Application: Extremely aggressive rubber adhesive carpet hold-down tape specially designed for the convention and flooring industry.

Available with Paper or PE release liner

Trim Shield



TRIM SHIELD is a tough protective PVC tape that is pliable for easy application and does not split, tear upon removal or leave residue.

Excellent on metal, aluminum, vinyl clad, glass surfaces or wherever protection is needed.

Available in Blue or Red

Stock Sizes

- ▶ 2" x 108' Roll
- ▶ 4" x 108' Roll
- ▶ 6" x 108' Roll
- ▶ 12" x 108' Roll

Flatback Tape



FLATBACK TAPE is a multi-purpose, grade kraft paper tape with rubber based adhesive.

Application: Seem padding together under carpets (no noise when walked on), carton/packaging sealing, tabbing, good durability over a wide temperature range, non-slip writable release, excellent holding power.

Stock Sizes

- ▶ 2" x 180' Roll

Available in Hot Melt or Solvent adhesive

Filament Tape



Stock Sizes

- ▶ 2" x 180' Roll
- ▶ .75" x 180' Roll

FILAMENT TAPE is a tensile strength glass reinforced tape with aggressive adhesion strength.

Application: Excellent for a variety of strapping needs: bundling, unitizing and palletizing. Can be applied to carpet, conduit, tubes and cartons. Won't delaminate under severe shipping conditions and wide temperature range. Resists edge-bleeding and splitting.

Available in General Purpose and Industrial Grade

Strapping Tape



Stock Sizes

- ▶ .5" x 180' Roll
- ▶ .75" x 180' Roll

STRAPPING TAPE is a tensile strength polypropylene utility tape suitable for bundling, wrapping, unitizing, palletizing and package reinforcement. Economical alternative to Filament Tape, stretch-wrap and bundling film.

Wide temperature range with little or no residue. Easy to apply with aggressive adhesion.

Available in Black or Clear

Double-Sided Tape



Stock Sizes

- ▶ 2" x 75' Roll

DOUBLE-SIDED TAPE is a double-coated white polyethylene film with synthetic rubber-based adhesive and release liner.

Application: Multi-purpose for carpet installation, industrial applications involving laminating, splicing and joining of different surfaces. Ideal where slightly more bulk is required, and conformability is excellent.

Step Tape



Stock Sizes

- ▶ 1" x 164' Roll
- ▶ 1.5" x 164' Roll
- ▶ 3.5" x 164' Roll
- ▶ 6" x 164' Roll
- ▶ 9.5" x 164' Roll

STEP TAPE is an all purpose, heavy duty double sided acrylic adhesive tape ideal for holding down carpets/runners, applying to base trim, mounting of vinyl, plastic and wooden molding.

Limitless possibilities for holding and mounting, both permanent and temporary. Non-toxic, odor free and bonds with most materials.

Available in General Purpose and Industrial Grade